

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name:

COFRAN REFRIGEL LD -35

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Antifreeze/coolant Containers >=20l for commercial use only **Uses advised against:** No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	COFRAN FLF 1, rue Lavoisier 92000 Nanterre France
Telephone:	+33 (0) 1 41 37 42 00
Fax:	+33 (0) 1 41 37 42 16
Contact Person:	
E-mail:	info.fds@fuchs.com
1.4 Emergency telephone number:	+33 (0)1 45 42 59 59 (ORFILA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

Classification according to GB-CLP.

Health Hazards			
Specific Target Organ Repeated Exposure	Toxicity -	Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Hazard summary Physical Hazards:	No da	ta available.	
2.2 Label Elements Contains:	Ethan	ediol	



Signal Words:	Warning
Hazard Statement(s):	H373: May cause damage to organs through prolonged or repeated exposure.
Precautionary Statement	ts
General information:	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children.
Prevention:	P260: Do not breathe dust/fume/gas/mist/vapors/spray.
2.3 Other hazards:	By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information:

Mixture of the substances listed below with harmless additions. This product is applied only as solution or emulsion in water.

Chemical name	ldentifier		UK-REACH Regis- tration No.	Notes
Ethanediol	EINECS: 203-473-3	25,00% - <50,00%		
Sodium benzoate	EINECS: 208-534-8	1,00% - <5,00%		
Tolyl triazole	EINECS: 249-596-6	0,10% - <1,00%		

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification
Ethanediol	EINECS: 203-473-3	GBCLP: Acute Tox. 4;H302, STOT RE 2;H373
Sodium benzoate	EINECS: 208-534-8	GBCLP: Eye Irrit. 2;H319
Tolyl triazole	EINECS: 249-596-6	GBCLP: Acute Tox. 4;H302, Repr. 2;H361d, Aquatic Chronic 2;H411

GB-CLP

SECTION 4: First aid measures



General:	Instantly remove any clothing soiled by the product.	
4.1 Description of first aid measu		
Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.	

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add- ed
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters Special fire-fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures

6.1 Personal precautions, protective equipment and

In case of spills, beware of slippery floors and surfaces.

emergency procedures:

Issue Date: 14.08.2023 Revision Date: 30.08.2023

Print date: 03.01.2024 SDS_GB - EN - CP1017722



6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	:
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed.
including any incompatibili-	Local regulations concerning handling and storage of waterpolluting prod-

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Exposure Limi	t Values	Source
Ethanediol - Vapor.	TWA	20 ppm	52 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Ethanediol - Vapor.	STEL	40 ppm	104 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Ethanediol - Particulate.	TWA		10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)

8.2 Exposure controls

controls:

Appropriate engineering Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment



General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

••	
Physical state:	liquid
Form:	liquid
Color:	Orange
Odor:	Characteristic
pH:	7,9 (, 20 °C)
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	Value not relevant for classification
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined



Flammability Limit - Upper (%): Flammability Limit - Lower (%): Vapor pressure: Relative vapor density:	Not applicable for mixtures Not applicable for mixtures Not applicable for mixtures Not applicable for mixtures
Density:	1,07 g/ml (20,00 °C)
Solubility(ies) Solubility in Water: Solubility (other):	Miscible with water. No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Auto-ignition temperature:	not determined
Decomposition Temperature:	not determined
Flow time	Value not relevant for classification
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral Product: Specified substance(s)	ATEmix: 3.221 mg/kg
Ethanediol	LD 50 (Human): 1.600 mg/kg
Tolyl triazole	LD 50 (Rat): 720 mg/kg (OECD 401)



Dermal Product: Specified substance(s) Ethanediol	Not classified for acute toxicity based on available data. LD 50 (Mouse): 3.500 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Skin Corrosion/Irritation: Product: Specified substance(s)	Based on available data, the classification criteria are not met.
Ethanediol	(Rabbit, 20 h): Not irritating
Tolyl triazole	OECD 404 (Rabbit): Not irritant.
Serious Eye Damage/Eye In Product:	ritation: Based on available data, the classification criteria are not met.
Specified substance(s) Tolyl triazole	OECD 405 (Rabbit): Not irritant.
Respiratory or Skin Sensitiz Product:	zation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria
Specified substance(s)	are not met.
Ethanediol	No sensitizing effect (guinea pig); OECD 406
Tolyl triazole	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.



Specific Target Organ Toxici Product: Specified substance(s)	Based on available data, the classification criteria are met.
Ethanediol	Kidney May cause damage to kidneys through prolonged or repeated exposure if swallowed
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.
SECTION 12: Ecological information	on
General information:	Not applicable
12.1 Toxicity	
Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish	
Specified substance(s) Ethanediol	LC 50 (Fish, 96 h): 72.860 mg/l
Tolyl triazole	LL 50 (Fish, 96 h): 180 mg/l
Aquatic Invertebrates Specified substance(s) Ethanediol	EC 50 (Water Flea, 48 h): > 100 mg/l (OECD 202)
Tolyl triazole	EL50 (Water Flea, 48 h): 8,58 mg/l
Chronic Toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Ethanediol	NOEC (Fish, 7 d): 15.380 mg/l
Aquatic Invertebrates Specified substance(s) Ethanediol	NOEC (Water Flea, 7 d): 8.590 mg/l
Toxicity to Aquatic Plants Specified substance(s) Tolyl triazole	EL50 (Alga, 72 h): 75 mg/l
12.2 Persistence and Degradability	
Biodegradation Product:	Not applicable for mixtures
Issue Date: 14 08 2023	



Specified substance(s) Ethanediol	> 90 % (10 d, OECD 301A) The product is easily biodegradable.
Tolyl triazole	4 % (28 d, OECD 301F) Not easily biodegradable
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB crite- ria.
12.6 Other adverse effects:	No data available.
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

SECTION 14: Transport information

ADR/RID

14.1 UN number or ID number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
Hazard No. (ADR):	_
Tunnel restriction code:	_
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_



IMDG	
14.1 UN number or ID number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
EmS No.:	_
14.3 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_
ΙΑΤΑ	
IATA 14.1 UN number or ID number:	_
14.1 UN number or ID number:	-
14.1 UN number or ID number: 14.2 Proper Shipping Name:	- -
14.1 UN number or ID number:	– – Non-dangerous goods
14.1 UN number or ID number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class:	– – Non-dangerous goods –
14.1 UN number or ID number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s):	– – Non-dangerous goods –
14.1 UN number or ID number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s): 14.4 Packing Group:	– – Non-dangerous goods – –
14.1 UN number or ID number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es): Class: Label(s):	– – Non-dangerous goods – –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019: none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020: none

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

DIRECTIVE Control of Major Accident Hazards Regulations 2015:

Not applicable

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.



Wording of the H-statements in section 2 and 3

0	
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated expo- sure.
H411	Toxic to aquatic life with long lasting effects.
Other information:	The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially simi- lar mixtures"; Expert Judgement
Revision Date: Disclaimer:	30.08.2023 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be de- duced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of pro- cessing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig- nature.