

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name:

COFRAN SINTOLUX FORCE 4 5W-30

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	COFRAN FLF 1, rue Lavoisier 92000 Nanterre France
Telephone: Fax: Contact Person:	+33 (0) 1 41 37 42 00 +33 (0) 1 41 37 42 16
E-mail:	info.fds@fuchs.com
1.4 Emergency telephone number:	+33 (0)1 45 42 59 59 (ORFILA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

Classification according to GB-CLP. Environmental Hazards Chronic hazards to the aquatic Category 3 H412: Harmful to aquatic life with long lasting environment effects. Hazard summary Physical Hazards: No data available.

2.2 Label Elements

Hazard Statement(s):	H412: Harmful to aquatic life with long lasting effects.
----------------------	--



Precautionary Statements

Prevention: P273: Avoid release to the environment.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Supplemental label information

EUH208: Contains: Triazole amine derivative. May produce an allergic reaction.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
mineral oil	EINECS: 265-157-1	50,00% - <100,00%		
alkarylamine, longchained	EINECS: 253-249-4	1,00% - <5,00%		
Calcium long-chain alkylphenate sulfide	Polymer	1,00% - <5,00%		
alkylphenol	EINECS: 406-040-9	1,00% - <5,00%		
Phenol derivative	EINECS: 310-154-3	0,01% - <0,25%		**
Triazole amine derivative	EC: 401-280-0	0,10% - <1,00%		

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

** UK-REACH Candidate List of SVHC for authorisation



Classification

Chemical name	Identifier	Classifi	cation
mineral oil	EINECS: 265-157-1	GBCLP:	Asp. Tox. 1;H304
alkarylamine, longchained	EINECS: 253-249-4	GBCLP:	Aquatic Chronic 4;H413
Calcium long-chain alkylphenate sulfide	Polymer	GBCLP:	Aquatic Chronic 4;H413
alkylphenol	EINECS: 406-040-9	GBCLP:	Aquatic Chronic 4;H413
Phenol derivative	EINECS: 310-154-3	GBCLP:	Skin Corr. 1C;H314, Eye Dam. 1;H318, Repr. 1B;H360F, Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10
Triazole amine derivative	EC: 401-280-0	GBCLP:	Skin Corr. 1B;H314, Skin Sens. 1;H317, Aquatic Chronic 2;H411, Eye Dam. 1;H318
GB-CLP			

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation GB-CLP.

SECTION 4: First aid measures

General:	Instantly remove any clothing soiled by the product.
4.1 Description of first aid measu Inhalation:	Ires Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-
	ed



Unsuitable extinguishing media:	Water with a full water jet.	
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.	
5.3 Advice for firefighters		
Special fire-fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SECTION 6: Accidental release m	easures	
6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.	
6.2 Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environ- mental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regula- tions. Stop the flow of material, if this is without risk.	
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage:		
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.	
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.	
7.3 Specific end use(s):	Not applicable	

Storage Class: 10, Combustible liquids



SECTION 8: Exposure controls/personal protection

8.1 Control Parameters	
Occupational Exposure Limi	ts None of the components have assigned exposure limits.
	None of the components have assigned exposure limits.
8.2 Exposure controls	
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to condi- tions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air- borne levels to an acceptable level.
Individual protection measur	es, such as personal protective equipment
General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm
	Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pock- ets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.



SECTION 9: Physical and chemical properties

.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Brown
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	Not applicable
Flash Point:	200 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,85 g/ml (15,00 °C) (DIN 51757)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	69,7 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.



10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
SECTION 11: Toxicological information		
11.1 Information on toxicologica	l effects	
Acute toxicity		
Oral Product:	Not classified for acute toxicity based on available data.	
Specified substance(s) mineral oil	LD 50 (Rat): > 5.000 mg/kg	
alkarylamine, long- chained	LD 50 (Rat): > 5.001 mg/kg (OECD 423)	
Triazole amine derivative	LD 50 (Rat): 2.350 mg/kg	
Dermal Product:	Not classified for acute toxicity based on available data.	
Inhalation Product: Specified substance(s) mineral oil	Not classified for acute toxicity based on available data. LC 50 (Rat, 4 h): > 2.500 mg/l Vapour	
Skin Corrosion/Irritation: Product: Specified substance(s) alkarylamine, long- chained	Based on available data, the classification criteria are not met. OECD 404 (Rabbit): Not irritant.	
alkylphenol	OECD 404 (Rabbit): Not irritant.	
Serious Eye Damage/Eye Irr Product: Specified substance(s) alkarylamine, long- chained	Titation: Based on available data, the classification criteria are not met. OECD 405 (Rabbit): Not irritant.	
alkylphenol	OECD 405 (Rabbit): Not irritant.	



Respiratory or Skin Sensitiz Product:	ation: Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.
Specified substance(s) alkarylamine, long- chained	No sensitizing effect (guinea pig); OECD 406
alkylphenol	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.
Specific Target Organ Toxic Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) alkarylamine, long- chained	LC 50 (Fish, 96 h): > 101 mg/l (OECD 203)
Calcium long-chain al- kylphenate sulfide	LC 50 (Fish, 96 h): > 1.000 mg/l
alkylphenol	LC 50 (Fish, 96 h): > 74 mg/l (OECD 203)



Phenol derivative	LC 50 (Fish, 96 h): 0,14 mg/l
Triazole amine derivative	LC 50 (Fish, 96 h): 1,1 mg/l
Aquatic Invertebrates Specified substance(s) alkarylamine, long- chained	EC 50 (Water Flea, 48 h): > 101 mg/l (OECD 202)
Calcium long-chain al- kylphenate sulfide	EC 50 (Water Flea, 48 h): > 1.000 mg/l
alkylphenol	EC 50 (Water Flea, 24 h): > 101 mg/l (OECD 202)
Phenol derivative	EC 50 (Water Flea, 48 h): 0,017 mg/l
Triazole amine derivative	EC 50 (Water Flea, 24 h): 9,3 mg/l
Chronic Toxicity Product:	Based on available data, the classification criteria are met.
Toxicity to Aquatic Plants Specified substance(s) alkarylamine, long- chained	EC 50 (Alga, 72 h): 600 mg/l (OECD 201)
Phenol derivative	EC 50 (Alga, 72 h): 0,091 mg/l
12.2 Persistence and Degradabili	ty
Biodegradation Product: Specified substance(s) alkarylamine, long-	Not applicable for mixtures 1 % (28 d, OECD 301B) Not easily biodegradable
chained alkylphenol	(OECD 301B) Not readily degradable.
12.3 Bioaccumulative potential Product: Specified substance(s) alkarylamine, long- chained	Not applicable for mixtures Bioconcentration Factor (BCF): 1.584
alkylphenol	Oncorhynchus mykiss, Bioconcentration Factor (BCF): 260 (OECD 305) May be accumulated in organism
12.4 Mobility in soil: Product:	Not applicable for mixtures



12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB criteria.
12.6 Other adverse effects:	Harmful to aquatic life with long lasting effects.
Water Hazard Class (WGK):	WGK 2: significantly water-endangering.
SECTION 13: Disposal considerations	
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.

Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local
	laws.

List of Waste (LoW) Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

	14.1 UN number or ID number:	-
	14.2 UN Proper Shipping Name:	-
	14.3 Transport Hazard Class(es)	
	Class:	Non-dangerous goods
	Label(s):	_
	Hazard No. (ADR):	-
	Tunnel restriction code:	_
	14.4 Packing Group:	_
	14.5 Environmental hazards:	_
	14.6 Special precautions for user:	_
IMD)G	
IMD)G 14.1 UN number or ID number:	_
IMD	-	-
IMC	14.1 UN number or ID number: 14.2 UN Proper Shipping Name:	-
IMC	14.1 UN number or ID number:	– – Non-dangerous goods
IMC	14.1 UN number or ID number:14.2 UN Proper Shipping Name:14.3 Transport Hazard Class(es) Class:	– – Non-dangerous goods –
IMC	14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es)	– – Non-dangerous goods –
IMC	 14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 	– – Non-dangerous goods – –
IMC	 14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.3 Packing Group: 	– – Non-dangerous goods – –
IMC	 14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.3 Packing Group: 14.5 Environmental hazards: 	– – Non-dangerous goods – – –
IMC	 14.1 UN number or ID number: 14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.: 14.3 Packing Group: 	– – Non-dangerous goods – – –



ΙΑΤΑ

14.1 UN number or ID number:	_
14.2 Proper Shipping Name:	_
14.3 Transport Hazard Class(es):	
Class:	Non-dangerous goods
Label(s):	_
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019: none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020: none

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

1304	May be fatal if swallowed and enters airways.
1314	Causes severe skin burns and eye damage.
1317	May cause an allergic skin reaction.
1318	Causes serious eye damage.
1360F	May damage fertility.
1400	Very toxic to aquatic life.
410	Very toxic to aquatic life with long lasting effects.
411	Toxic to aquatic life with long lasting effects.
412	Harmful to aquatic life with long lasting effects.
413	May cause long lasting harmful effects to aquatic life.
ormation:	The classification complies with the current C

Other information: The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures"; Expert Judgement

F



Revision Date: Disclaimer:

13.12.2022

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.